



[www.deccla.com](http://www.deccla.com)



## ANNEX 1

### ***RULES FOR NIGHT RACES***

The following variations to the rules and regulations will be applied only to races taking place partially at night.

#### **1 - Variations to race regulations**

- 1.1 All the lights of the motorcycles will be turned on at the request of the race Director. This instruction will be communicated to the riders with a sign with the lettering "LUCES - LIGHTS ON" at the start line.
- 1.2 As from this moment and until the end of the race any motorcycle that doesn't have all its lights on will be forced with a black flag to enter Pit-Lane to solve the problem.**
- 1.3 It is not permitted to refuel with the lights on, if it happens the team will be penalized.
- 1.4 All the participant motorcycles will have at least two numberplates in matt black color, one positioned on the left side of the motorcycle and another on the front. Due to the position of the lights, it is permitted to move the front numberplate slightly toward the left side of the motorcycle; it can also be positioned above or below the lighting equipment.
- 1.5 The sizes of the numberplates cannot be less than 160 x 140 millimeters.
- 1.6 The colour for the numbers will be white and retro-reflective material, **and it will be provided by the race organization at the administrative scrutineering.**
- 1.7 Race organisers will also provide retro-reflective bracelets for the riders, reflective stickers for helmets and a special sticker to apply to the back part of the seat of the motorcycles.

#### **2 – Lighting equipment**

- 2.1 All motorcycles will have at least a front and back light.
- 2.2 The sizes of the front headlights will not be less than the following:
  - round shape lights - minimum diameter 80 millimeters
  - square shape lights - minimum measure 80 millimeters
- 2.3 Only round, square or rectangular shape headlights are allowed, classic looks.

- 2.4 H4 and H9 type headlights are allowed.
- 2.5 "Xenon" type headlights are not allowed.
- 2.6 Only white and yellow colours allowed for the front lights.
- 2.7 The sizes for rear lights will not be less then the following:
  - round shape lights - minimum diameter 50 millimeters
  - square shape lights - minimum measure 50 millimeters
- 2.8 "Leds" type rear lights are not allowed.
- 2.9 Red color only allowed for rear lights.
- 2.10 The rear light will be placed on the rear center of the motorcycle and will be visible from both sides.
- 2.11 A red retro-reflective plate must be placed on the rear center of the motorcycle and will be visible from both sides.

### **3 - Connection of lights**

- 3.1 All the lights will be connected and disconnected through an easily accessible switch.
- 3.2 All the lights must be connectable even with the engine stopped.



